

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
4 November 2004 (04.11.2004)

PCT

(10) International Publication Number
WO 2004/094631 A1

(51) International Patent Classification⁷: C12N 9/96, 1/04,
A61K 31/70, 47/26

[PT/PT]; Rua do Sobreiro, 65, Bustos, 3770 Oliveira do
Bairro (PT).

(21) International Application Number:
PCT/PT2003/000006

(22) International Filing Date: 22 April 2003 (22.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): IN-
STITUTO DE BIOLOGIA EXPERIMENTALE E
TÉCNOLOGIA (IBET) [PT/PT]; Quinta do Marquês,
Apartado 12, 2781-901 Oeiras (PT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SANTOS, Helena
[PT/PT]; R. Manuel de Almeida Vasconcelos, n°132,3°C,
2775-713 Carcavelos (PT). ANTÓNIO, Pedro, Miguel,
Lamosa [PT/PT]; Campo Grande n°5, 8Dto, Lisboa (PT).
Jorge, Carla [PT/PT]; Rua António Sousa Pinto, n°6,
3°Esq., 2800 Almada (PT). DA COSTA, Milton, Simoes

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN,
YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: DI-GLYCOSYL GLYCERYL COMPOUNDS FOR THE STABILISATION AND PRESERVATION OF BIOMATERI-
ALS



R =COOH
=CH₂OH
=CH₃
=CONH₂

(57) Abstract: The present invention consists in the utilization of glycosyl (1-2)glycosyl(1-2)glyceryls, like mannosyl (1-2)gluco-
syl(1-2)glycerate, or mixtures thereof alone or as constituents in a suitable formulation as protectors and/or stabilisers of enzymes,
proteins, antibodies, DNA or RNA molecules, biological membranes, liposomes, lipid related substances or other cellular compo-
nents and biomaterial against general stress.

WO 2004/094631 A1

10/553992
/PCT

Di-Glycosyl Glycerol Compounds for the Stabilisation and Preservation of Biomaterials

Helena Santos, Pedro Lamosa, Carla Jorge, Milton S. da Costa

Instituto de Biologia Experimental e Tecnológica, Quinta do Marquês,
Estação Agronómica Nacional, 2780 Oeiras, Portugal.

Instituto de Tecnologia Química e Biológica, Rua da Quinta Grande, 6,
Apartado 127, 2780-156 Oeiras, Portugal

DESCRIPTION

Di-Glycosyl Glyceryl Compounds for the Stabilisation and Preservation of Biomaterials

FIELD OF THE INVENTION

The present invention concerns the use of di-glycosyl glyceryl compounds alone or as constituents of formulations to protect and/or stabilise enzymes or other cellular components and biomaterials against general stress, namely caused by heat, high osmolarity, free-radicals, desiccation, freeze-drying, and repetitive use.

Said compounds obey to the general formula depicted in Figure 1 and have the general name of glycosyl(1-2) glycosyl (1-2) glyceryls.

DESCRIPTION OF THE INVENTION AND STATE OF THE ART

The accumulation of low-molecular mass organic solutes such as, trehalose, polyols or ectoines, is a prerequisite for osmotic adjustment of many mesophilic microorganisms. However, very unusual solutes namely, di-*myo*-inositol-phosphate, di-mannosyl-di-*myo*-inositol-phosphate, diglycerol phosphate, mannosylglycerate, and mannosylglyceramide, have been identified in thermophilic and hyperthermophilic microorganisms and the intracellular content of these solutes increases in response to stress conditions, such as high osmolarity or high temperature.

Mannosylglycerate and diglycerol phosphate have been studied to a greater extent and have been shown to protect enzymes and proteins *in vitro* better than compatible solutes from mesophiles [1-3]. Moreover, the application of compatible solutes from thermophilic or hyperthermophilic organisms as stabilising agents of biomaterials has been disclosed in several patent applications [4-6].

We have discovered a novel compatible solute in the thermophilic bacterium *Picrotoga miotherma*, an organism that grows optimally at 55°C, but is

able to grow as high as 65°C. When subjected to salt stress this organism accumulates large amounts (above 1 $\mu\text{mol/mg}$ of protein) of a novel di-sugar compound. After extraction, purification, and full spectroscopic characterization by Nuclear Magnetic Resonance, we have determined the molecular structure of this, to date, unknown compound as $\alpha(1-2)\text{mannopyranosyl-}\alpha(1-2)\text{glucopyranosyl-glycerate}$.

It is interesting to note that the molecular structure of this compatible solute comprises the two moieties (mannosyl and glyceryl) present in mannosylglycerate, a solute widely distributed among thermophiles and hyperthermophiles [7]. In addition, there is a glucosyl moiety linking the mannosyl and glyceryl moieties.

Mannosylglycerate is a well-known biostabiliser of thermophilic origin, whose industrial application is protected under a European patent application [4]. The thermophilic origin of the novel solute combined with the structural resemblance to mannosylglycerate leads us to propose that this novel solute has stabilising properties as good or superior to those already demonstrated for mannosylglycerate. In this respect, it will serve as a stabiliser in various commercial, industrial, medical, pharmaceutical, diagnostic, cosmetic, or academic research applications.

The enhanced protein stability rendered by certain low-molecular mass organic solutes allows enzymes to function under more severe conditions of temperature, pressure, ionic strength, pH, presence of detergents or organic solvents. One of the priorities of modern biotechnology is to obtain stable enzymes or agents that stabilise those enzymes against thermal or chemical denaturation. The ability of some compatible solutes to stabilise enzymes is, therefore, of great importance to modern biotechnology. This point is obviously extended to all proteins that are used or can be used in processes where their stability is an issue, since all proteins either with or without enzymatic activity share the same overall basic elements of structure and may be protected against denaturation or inactivation through the same general mechanisms or processes.

It must also be stressed that compatible solutes protect proteins, cell membranes, liposomes, and cells from the deleterious effects of desiccation, and possess strong moistening properties. The preservation of desiccated or

lyophilized cell components and biomaterials has many applications in medicine, pharmaceutical industry, cosmetic industry, food industry, and scientific research. In spite of the great importance of desiccation and freezing in the conservation of biological samples, denaturation of proteins or a decrease of the viable count of cultures inevitably takes place during utilization, and could be prevented or diminished by the use of low molecular mass stabilisers.

Also, the stability of nucleic acid molecules, like DNA, or RNA, can be improved by the addition of compatible solutes from hyperthermophiles, as described for ectoines [8], and their use in several applications in medicine, pharmaceutical industry, or scientific research can be envisioned.

BRIEF DESCRIPTION OF THE DRAWING

Figure 1.

Depicts the generic chemical structure of glycosyl(1-2)glycosyl(1-2)glyceryls in all its possible stereoisomeric forms. The figure is intended to represent all hexoses either in the α or in the β configuration. The letter "R" is intended to represent a carboxylate, an amide, a primary alcohol group, or a methyl group.

REFERENCES

- [1] Ramos, A., N. D. H. Raven, R. J. Sharp, S. Bartolucci, M. Rossi, R. Cannio, J. Lebbink, J. van der Oost, W. M. de Vos and H. Santos. 1997. Stabilisation of enzymes against thermal stress and freeze-drying by mannosylglycerate. *Appl. Environ. Microbiol.* **63**:4020-4025.
- [2] Borges, N., A. Ramos, N. D. H. Raven, R. J. Sharp, and H. Santos. 2002. Comparative study of the thermostabilising properties of mannosylglycerate and other compatible solutes on model enzymes. *Extremophiles* **6**:209-216.
- [3] Lamosa, P., A. Burke, R. Peist, R. Huber, M. Liu, G. Silva, C. Rodrigues-Pousada, J. LeGall, C. Maycock, and H. Santos. 2000. Thermostabilisation of proteins by diglycerol phosphate, a new compatible solute from the hyperthermophile *Archaeoglobus fulgidus*. *Appl. Environ. Microbiol.* **66**:1974-1979.

- [4]** Santos, H., A. Ramos, M. S. da Costa. Thermostabilisation, osmoprotection, and protection against desiccation of enzymes, cell components and cells by mannosylglycerate. European Patent no. 97670002.1
- [5]** Santos, H., P. Lamosa, C. Maycock, and A. Burke. 1999. Thermostabilisation, osmoprotection, and protection against desiccation of enzymes, cell components and cells by di-glycerol-phosphate. European Patent no. 98670002.9
- [6]** Santos, H., L. O. Martins, L. S. Carreto, and M. S. da Costa. 1996. Utilização de fosfato de di-manosil-di-mio-inositol e de fosfato de 1,3'- di-mio-inositol na termo-estabilização, osmoprotecção e protecção contra a desidratação de componentes celulares e células. Portuguese patent no. 101813.
- [7]** Santos. H., and M. S. da Costa. 2001. Organic solutes from thermophiles and hyperthermophiles. *Methods Enzymol.* **334**:302-315.
- [8]** Malin G, Iakobashvili R, and Lapidot A (1999) Effect of tetrahydropyrimidine derivatives on protein-nucleic acids interaction. Type II restriction endonucleases as a model system. *J. Biol. Chem.* **274**:6920-6929.

CLAIMS

1. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls, namely mannosyl(1-2)glucosyl(1-2)glycerate, wherein the compound is in any of its possible stereoisomeric forms, alone or as a constituent in a suitable formulation to protect and/or stabilise enzymes or other cellular components and biomaterials against general stress

2. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claim 1 wherein the mannosyl residue is replaced by any six member ring carbohydrate residue, namely glucose, galactose, gulose, talose, fucose, rhamnose, idose, or altrose.

3. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 and 2 wherein the glucosyl residue is replaced by any six member ring carbohydrate residue, namely mannose, galactose, gulose, talose, fucose, rhamnose, idose, or altrose.

4. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glycerate residue is replaced by glycerol.

5. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glycerate residue is replaced by glyceramide.

6. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glyceryl residue is replaced by a lactyl residue.

7. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 3 wherein the glyceryl residue is replaced by propylene glycol.

8. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 7 wherein the glycosyl residues are in the α or β configuration

9. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls according to claims 1 to 8 wherein the glyceryl residue is in the D or L configuration.

10. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein to protect enzymes or other proteins against temperature denaturation induced by purification, transport and/or storage.

11. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a protector of the activity of polymerase chain reaction (PCR) enzymes for clinical, biological and industrial purposes during the storage, as well as the high-temperature recycling of the enzymes.

12. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a stabiliser of enzymes or other proteins during lyophilization, desiccation or freeze-drying and storage at low temperatures.

13. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as a stabilising agent during the manufacture, storage and assays using test kit enzymes, for diagnostic, biological and industrial purposes.

14. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein to stabilise enzymes or other proteins during their routine utilization for clinical, biological and industrial purposes.

15. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection or stabilisation of antibodies for clinical, biological, research, and industrial purposes.

16. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection or stabilisation of vaccines of proteic or non-proteic nature for clinical, or industrial purposes.

17. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection of biomaterials against stress such as desiccation and lyophilization of cell membranes, liposomes, liposome-containing cosmetics or lipid related substances.

18. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the structural protection or stabilisation of DNA or RNA molecules.

19. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for the protection, stabilisation or improved performance of DNA or RNA microarrays.

20. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein as an additive to cosmetics to improve moistening properties stabilise compounds or liposomes or as a suppressor of free radicals.

21. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 to 9 wherein for protection against damage caused by lyophilization, desiccation, high temperatures, and freezing to microbial cells.

22. The utilization of glycosyl(1-2)glycosyl(1-2)glyceryls or mixtures thereof according to claims 1 and 10 to 21 wherein the compound is a constituent in a suitable formulation to protect and/or stabilise enzymes or other cellular components and biomaterials.




Figure 1.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/PT 03/00006

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N9/96 C12N1/04 A61K31/70 A61K47/26

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, MEDLINE, EMBASE, BIOSIS, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 816 509 A (IBET INST DE BIOLOG EX E TECNO) 7 January 1998 (1998-01-07) cited in the application the whole document	1-22
A	EP 0 965 268 A (IBET INST DE BIOLOG EX E TECNO) 22 December 1999 (1999-12-22) cited in the application the whole document	1-22
	--- -/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

24 November 2003

Date of mailing of the international search report

09/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

van de Kamp, M

INTERNATIONAL SEARCH REPORT

Inten ional Application No

PCT/PT 03/00006

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>BORGES N ET AL.: "Comparative study of the thermostabilizing properties of mannosylglycerate and other compatible solutes on model enzymes." EXTREMOPHILES, vol. 6, no. 3, June 2002 (2002-06), pages 209-216, XP002253694 ISSN: 1431-0651 cited in the application abstract</p>	1-22
A	<p>RAMOS A ET AL.: "Stabilization of enzymes against thermal stress and freeze-drying by mannosylglycerate" APPLIED AND ENVIRONMENTAL MICROBIOLOGY, vol. 63, no. 10, October 1997 (1997-10), pages 4020-4025, XP002114723 ISSN: 0099-2240 cited in the application abstract</p>	1-22
A	<p>WO 01 76572 A (BITOP GMBH ;SCHWARZ THOMAS (DE)) 18 October 2001 (2001-10-18) the whole document</p>	1-22
A	<p>WO 01 58446 A (VANGALA MAYA DEVI ;BITOP GMBH (DE); GALINSKI ERWIN (DE); SCHWARZ T) 16 August 2001 (2001-08-16) the whole document</p>	1-22
A	<p>MARTINS L O ET AL.: "New compatible solutes related to Di-myo-inositol-phosphate in members of the order Thermotogales." JOURNAL OF BACTERIOLOGY, vol. 178, no. 19, October 1996 (1996-10), pages 5644-5651, XP002253693 ISSN: 0021-9193 abstract page 5648, left-hand column, line 9-12 table 2</p>	1-22
A	<p>CÁNOVAS D ET AL.: "Role of Ngamma-acetyldiaminobutyrate as an enzyme stabilizer and an intermediate in the biosynthesis of hydroxyectoine." APPLIED AND ENVIRONMENTAL MICROBIOLOGY, vol. 65, no. 9, September 1999 (1999-09), pages 3774-3779, XP002253695 ISSN: 0099-2240 abstract</p>	1-22

-/--

INTERNATIONAL SEARCH REPORT

Intern^l Application No

PCT/PT 03/00006

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EMPADINHAS N ET AL.: "Pathway for the synthesis of mannosylglycerate in the hyperthermophilic archaeon <i>Pyrococcus horikoshii</i>. Biochemical and genetic characterization of key enzymes." JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 276, no. 47, 23 November 2001 (2001-11-23), pages 43580-43588, XP002253696 ISSN: 0021-9258 abstract</p>	1-22
A	<p>SANTOS H ET AL.: "Compatible solutes of organisms that live in hot saline environments." ENVIRONMENTAL MICROBIOLOGY, vol. 4, no. 9, September 2002 (2002-09), pages 501-509, XP002253697 ISSN: 1462-2912 the whole document</p>	1-22
A	<p>SANTOS H ET AL.: "Organic solutes from thermophiles and hyperthermophiles" METHODS IN ENZYMOLOGY, ACADEMIC PRESS INC, SAN DIEGO, CA, US, vol. 334, 2001, pages 302-315, XP008021120 ISSN: 0076-6879 cited in the application the whole document table I</p>	1-22
A	<p>DA COSTA M S ET AL.: "An overview of the role and diversity of compatible solutes in bacteria and archaea" ADVANCES IN BIOCHEMICAL ENGINEERING, BIOTECHNOLOGY, SPRINGER, BERLIN, DE, vol. 61, 1998, pages 117-153, XP002099622 ISSN: 0724-6145 the whole document</p>	1-22

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/PT 03/00006

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0816509	A	07-01-1998	PT 101887 A AT 250137 T DE 69724876 D1 EP 0816509 A2	30-01-1998 15-10-2003 23-10-2003 07-01-1998
EP 0965268	A	22-12-1999	EP 0965268 A1 AT 234550 T DE 69812330 D1	22-12-1999 15-04-2003 24-04-2003
WO 0176572	A	18-10-2001	WO 0176572 A2 EP 1272201 A2 JP 2003531833 T US 2003147937 A1	18-10-2001 08-01-2003 28-10-2003 07-08-2003
WO 0158446	A	16-08-2001	EP 1125583 A1 CA 2399486 A1 WO 0158446 A1 EP 1263432 A1 US 2003114358 A1	22-08-2001 16-08-2001 16-08-2001 11-12-2002 19-06-2003